

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:ssptajqml797

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	NOV 21	CAS patent coverage to include exemplified prophetic substances identified in English-, French-, German-, and Japanese-language basic patents from 2004-present
NEWS	3	NOV 26	MARPAT enhanced with FSORT command
NEWS	4	NOV 26	CHEMSAFE now available on STN Easy
NEWS	5	NOV 26	Two new SET commands increase convenience of STN searching
NEWS	6	DEC 01	ChemPort single article sales feature unavailable
NEWS	7	DEC 12	GBFULL now offers single source for full-text coverage of complete UK patent families
NEWS	8	DEC 17	Fifty-one pharmaceutical ingredients added to PS
NEWS	9	JAN 06	The retention policy for unread STNmail messages will change in 2009 for STN-Columbus and STN-Tokyo
NEWS	10	JAN 07	WPIDS, WPINDEX, and WPIX enhanced Japanese Patent Classification Data
NEWS	11	FEB 02	Simultaneous left and right truncation (SLART) added for CERAB, COMPUAB, ELCOM, and SOLIDSTATE
NEWS	12	FEB 02	GENBANK enhanced with SET PLURALS and SET SPELLING
NEWS	13	FEB 06	Patent sequence location (PSL) data added to USGENE
NEWS	14	FEB 10	COMPENDEX reloaded and enhanced
NEWS	15	FEB 11	WTEXTILES reloaded and enhanced
NEWS	16	FEB 19	New patent-examiner citations in 300,000 CA/CAPLUS patent records provide insights into related prior art
NEWS	17	FEB 19	Increase the precision of your patent queries -- use terms from the IPC Thesaurus, Version 2009.01
NEWS	18	FEB 23	Several formats for image display and print options discontinued in USPATFULL and USPAT2
NEWS	19	FEB 23	MEDLINE now offers more precise author group fields and 2009 MeSH terms
NEWS	20	FEB 23	TOXCENTER updates mirror those of MEDLINE - more precise author group fields and 2009 MeSH terms
NEWS	21	FEB 23	Three million new patent records blast AEROSPACE into STN patent clusters
NEWS	22	FEB 25	USGENE enhanced with patent family and legal status display data from INPADOCDB
NEWS	23	MAR 06	INPADOCDB and INPAFAMDB enhanced with new display formats
NEWS	24	MAR 11	EPFULL backfile enhanced with additional full-text applications and grants
NEWS	25	MAR 11	ESBIOBASE reloaded and enhanced
NEWS	26	MAR 20	CAS databases on STN enhanced with new super role for nanomaterial substances
NEWS	27	MAR 23	CA/CAPLUS enhanced with more than 250,000 patent equivalents from China

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:04:41 ON 24 MAR 2009

=> file caslink		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.22	0.22

FILE 'CAPLUS' ENTERED AT 11:04:57 ON 24 MAR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)


FILE 'MARPAT' ENTERED AT 11:04:57 ON 24 MAR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

FILE 'REGISTRY' ENTERED AT 11:04:57 ON 24 MAR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

CLUSTER 'CASLINK' ENTERED

Predefined command sequences will be executed in
REGISTRY, MARPAT, and CAPLUS.

=>
Uploading C:\Program Files\STNEXP\Queries\10529897-b.str



```

chain nodes :
1  2  3  5  6  7
chain bonds :
1-2  1-3  1-5  1-6  6-7
exact/norm bonds :
1-2  1-3  1-5
exact bonds :
1-6  6-7

```

G2:H,CH3,Et,n-Pr,i-Pr,n-Bu,i-Bu,s-Bu,t-Bu

G3:CH3,Et,n-Pr,n-Bu

G4:H,Ak

Match level :


1:CLASS 2:CLASS 3:CLASS 5:CLASS 6:CLASS 7:CLASS

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



G1
 G2 H, Me, Et, n-Pr, i-Pr, n-Bu, i-Bu, s-Bu, t-Bu
 G3 Me, Et, n-Pr, n-Bu
 G4 H, Ak

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sample

S L1 SSS SAM FILE=REGISTRY
 SAMPLE SEARCH INITIATED 11:05:30 FILE 'REGISTRY'
 SAMPLE SCREEN SEARCH COMPLETED - 45483 TO ITERATE

4.4% PROCESSED 2000 ITERATIONS 50 ANSWERS
 INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
 PROJECTED ITERATIONS: 896919 TO 922401
 PROJECTED ANSWERS: 22023 TO 26187

L2 50 SEA SSS SAM L1
 1 FILES SEARCHED...

S L2 SSS SAM FILE=MARPAT
 SAMPLE SEARCH INITIATED 11:05:31 FILE 'MARPAT'
 SAMPLE SCREEN SEARCH COMPLETED - 11176 TO ITERATE

17.9% PROCESSED 2000 ITERATIONS 50 ANSWERS
 INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
 SEARCH TIME: 00.00.02

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
 PROJECTED ITERATIONS: 220004 TO 227036
 PROJECTED ANSWERS: 16025 TO 19513

L3 50 SEA SSS SAM L1
 1 FILES SEARCHED...

=> s l1 sss full

S L1 SSS FUL FILE=REGISTRY
FULL SEARCH INITIATED 11:05:50 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 906193 TO ITERATE

90.7% PROCESSED	821687 ITERATIONS	24895 ANSWERS
99.0% PROCESSED	896999 ITERATIONS	25541 ANSWERS
100.0% PROCESSED	906193 ITERATIONS	25559 ANSWERS
SEARCH TIME: 00.00.38		

L4 25559 SEA SSS FUL L1
1 FILES SEARCHED...

S L4 SSS FUL FILE=MARPAT
FULL SEARCH INITIATED 11:06:29 FILE 'MARPAT'
FULL SCREEN SEARCH COMPLETED - 223897 TO ITERATE

32.7% PROCESSED	73128 ITERATIONS	7047 ANSWERS
62.2% PROCESSED	139324 ITERATIONS	13469 ANSWERS
77.3% PROCESSED	172965 ITERATIONS	16342 ANSWERS
89.5% PROCESSED	200483 ITERATIONS (2 INCOMPLETE)	17914 ANSWERS
91.1% PROCESSED	203862 ITERATIONS (3 INCOMPLETE)	18258 ANSWERS
97.3% PROCESSED	217743 ITERATIONS (5 INCOMPLETE)	18910 ANSWERS
98.2% PROCESSED	219909 ITERATIONS (7 INCOMPLETE)	19017 ANSWERS
98.3% PROCESSED	220177 ITERATIONS (7 INCOMPLETE)	19056 ANSWERS
98.4% PROCESSED	220367 ITERATIONS (8 INCOMPLETE)	19087 ANSWERS
98.5% PROCESSED	220499 ITERATIONS (8 INCOMPLETE)	19099 ANSWERS
98.6% PROCESSED	220862 ITERATIONS (9 INCOMPLETE)	19147 ANSWERS
99.5% PROCESSED	222706 ITERATIONS (10 INCOMPLETE)	19331 ANSWERS
100.0% PROCESSED	223897 ITERATIONS (10 INCOMPLETE)	19455 ANSWERS
SEARCH TIME: 00.03.33		

L5 19455 SEA SSS FUL L1
1 FILES SEARCHED...

S L4 FILE=CAPLUS
L6 162344 FILE CAPLUS
1 FILES SEARCHED...

SET DUPORDER FILE
SET COMMAND COMPLETED

DUP REM L5 L6
181799 ANSWERS REQUESTED EXCEEDS MAXIMUM ALLOWED OF 50000
You may process up to 50,000 answers per command. Please try to
narrow your search until your resulting L# answer set is within the
maximum number of answers.

```
=> delete history yes
ALL L# ITEMS DELETED

=> delete select yes
ALL E# DEFINITIONS DELETED
```

```
=>
Uploading C:\Program Files\STNEXP\Queries\10529897-b-narrow.str
```



```
chain nodes :
1 2 3 5 6 7 11
chain bonds :
1-2 1-3 1-5 1-6 6-7
exact/norm bonds :
1-2 1-3 1-5
exact bonds :
1-6 6-7
```

G2:H,CH3,Et,n-Pr,i-Pr,n-Bu,i-Bu,s-Bu,t-Bu

G3:CH3,Et,n-Pr,n-Bu

G4:H,[*1]

```
Match level :
1:CLASS 2:CLASS 3:CLASS 5:CLASS 6:CLASS 7:CLASS 11:CLASS
Element Count :
Node 2: Limited
C,C1-4


Node 11: Limited
C,C1-4
```

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Ak¹

G1

G2 H, Me, Et, n-Pr, i-Pr, n-Bu, i-Bu, s-Bu, t-Bu

G3 Me, Et, n-Pr, n-Bu

G4 H, [01]

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sample

S L1 SSS SAM FILE=REGISTRY

SAMPLE SEARCH INITIATED 11:12:49 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 45483 TO ITERATE

4.4% PROCESSED 2000 ITERATIONS

48 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 896919 TO 922401

PROJECTED ANSWERS: 19849 TO 23813

L2 48 SEA SSS SAM L1

1 FILES SEARCHED...

S L2 SSS SAM FILE=MARPAT

SAMPLE SEARCH INITIATED 11:12:49 FILE 'MARPAT'

SAMPLE SCREEN SEARCH COMPLETED - 11176 TO ITERATE

17.9% PROCESSED 2000 ITERATIONS

50 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 220004 TO 227036

PROJECTED ANSWERS: 16025 TO 19513

L3 50 SEA SSS SAM L1
1 FILES SEARCHED...

=> d scan

L3 50 ANSWERS MARPAT COPYRIGHT 2009 ACS on SIN

ICM A61K031-663

ICS A61K031-5025; A61K031-662; A61K045-00; A61P001-02; A61P019-00;
A61P019-02; A61P019-04; A61P019-08; A61P019-10; A61P029-00;
A61P035-00; A61P035-04

CC 63-6 (Pharmaceuticals)

Section cross-reference(s): 1

TI Agent inducing increase in bone mass

ST bisphosphonate deriv osteoblast differentiation promoter combination bone
mass increase; pyridazine deriv prepn incadronate combination bone mass
increase

IT Bone

Bone resorption inhibitors

Human

Osteoporosis

(bone mass-increasing agents containing nonpeptidic osteoblast
differentiation promoting compds. and bisphosphonates)

IT Drug delivery systems

(capsules; bone mass-increasing agents containing nonpeptidic osteoblast
differentiation promoting compds. and bisphosphonates)

IT Osteoblast

(differentiation; bone mass-increasing agents containing nonpeptidic
osteoblast differentiation promoting compds. and bisphosphonates)

IT Cell differentiation

(osteoblast; bone mass-increasing agents containing nonpeptidic osteoblast
differentiation promoting compds. and bisphosphonates)

IT Bone, disease

(osteopenia; bone mass-increasing agents containing nonpeptidic osteoblast
differentiation promoting compds. and bisphosphonates)

IT Drug delivery systems

(tablets; bone mass-increasing agents containing nonpeptidic osteoblast
differentiation promoting compds. and bisphosphonates)

IT 596823-90-4P 596823-92-6P 596823-94-8P 596823-96-0P 596823-98-2P

596824-04-3P 596824-07-6P 596824-09-8P 596824-12-3P 596824-13-4P

596824-15-6P 596824-16-7P 596824-17-8P 596824-18-9P 596824-19-0P

596824-20-3P 596824-21-4P 596824-22-5P 596824-23-6P 596824-24-7P

596824-25-8P 596824-26-9P 596824-27-0P 596824-28-1P 596824-29-2P

596824-30-5P 596824-31-6P 596824-32-7P 596824-33-8P 596824-34-9P

596824-36-1P 596824-38-3P 596824-40-7P 596824-42-9P 596824-43-0P

596824-44-1P 596824-45-2P 596824-46-3P 596824-47-4P 596824-48-5P

596824-49-6P 596824-50-9P 596824-51-0P 596824-52-1P 596824-53-2P

596824-54-3P 596824-55-4P 596824-56-5P 596824-57-6P 596824-58-7P

596824-59-8P 596824-60-1P 596824-61-2P 596824-62-3P 596824-63-4P

596824-64-5P 596824-65-6P 596824-66-7P 596824-67-8P 596824-68-9P

596824-69-0P 596824-70-3P 596824-71-4P 596824-72-5P 596824-73-6P

596824-74-7P 596824-75-8P 596824-76-9P 596824-77-0P 596824-79-2P

596824-81-6P 596824-83-8P 596824-84-9P 596824-85-0P 596824-86-1P

596824-87-2P 596824-88-3P 596824-89-4P 596824-90-7P 596824-91-8P

596824-92-9P 596824-93-0P 596824-95-2P 596824-96-3P 596824-98-5P

596825-00-2P 596825-02-4P 596825-03-5P 596825-04-6P 596825-05-7P

596825-06-8P 596825-07-9P 596825-08-0P 596825-09-1P 596825-10-4P

596825-11-5P 596825-12-6P 596825-13-7P 596825-14-8P 596825-15-9P


596825-16-0P 596825-17-1P 596825-18-2P 596825-19-3P 596825-20-6P

596825-21-7P 596825-22-8P 596825-23-9P 596825-24-0P 596825-25-1P

596825-26-2P 596825-27-3P 596825-28-4P 596825-29-5P 596825-30-8P

596825-31-9P 596825-32-0P 596825-33-1P 596825-34-2P 596825-35-3P
 RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (bone mass-increasing agents containing nonpeptidic osteoblast differentiation promoting compds. and bisphosphonates)
 IT 40391-99-9 66376-36-1, Alendronate 105462-24-6 114084-78-5, Ibandronate 118072-93-8, Zoledronate 138330-18-4, Incadronate 180064-38-4 821002-58-8
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (bone mass-increasing agents containing nonpeptidic osteoblast differentiation promoting compds. and bisphosphonates)
 IT 62-23-7, 4-Nitrobenzoic acid 99-64-9, 3-Dimethylaminobenzoic acid 110-89-4, Piperidine, reactions 111-49-9 124-63-0, Methanesulfonyl chloride 1121-92-2 1711-11-1, 3-Cyanobenzoylchloride 4684-94-0, 6-Chloropicolinic acid 5398-36-7, Ethyl 2-aminothiazole-4-carboxylate 6630-33-7, 2-Bromobenzaldehyde 17259-77-7 17284-97-8 18908-07-1, 3-Methoxyphenylisocyanate 75680-93-2 78190-11-1, 1-[(Benzoyloxy)carbonyl]piperidine-3-carboxylic acid 821002-63-5 821002-67-9 821002-71-5
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of bone mass-increasing agents containing nonpeptidic osteoblast differentiation promoting compds. and bisphosphonates)
 IT 448190-45-2P 596825-36-4P 596825-37-5P 596825-38-6P 596825-39-7P 596825-40-0P 596825-41-1P 596825-42-2P 596825-43-3P 596825-44-4P 596825-45-5P 596825-46-6P 596825-47-7P 596825-48-8P 596825-49-9P 596825-50-2P 596825-51-3P 596825-52-4P 596825-53-5P 596825-54-6P 596825-55-7P 596825-56-8P 596825-57-9P 596825-58-0P 596825-59-1P 596825-60-4P 596825-61-5P 596825-62-6P 596825-63-7P 596825-64-8P 596825-65-9P 596825-66-0P 596825-67-1P 596825-68-2P 596825-69-3P 596825-70-6P 596825-71-7P 596825-72-8P 596825-73-9P 596825-74-0P 596825-75-1P 596825-76-2P 596825-77-3P 596825-78-4P 596825-79-5P 596825-80-8P 596825-81-9P 596825-82-0P 596825-83-1P 596825-84-2P 596825-85-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of bone mass-increasing agents containing nonpeptidic osteoblast differentiation promoting compds. and bisphosphonates)

MSTR 1



G1 = 13

HN—G2
 13

G2 = alkyl <containing 1-6 C> (opt. substd. by (1-3) G3)

G3 = OH / CO2H

G4 = bond

Patent location: claim 2


Note: or pharmaceutically acceptable salts

Note: substitution is restricted


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> d scan 12

L2 48 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Ethanamine, N,N-diethyl-2-[2-(2-phenyl-1,3-benzodioxol-2-yl)ethoxy]-,
2-hydroxy-1,2,3-propanetricarboxylate (1:1)
MF C21 H27 N O3 . C6 H8 O7
CM 1




CM 2



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L2 48 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1-Naphthaleneheptanoic acid, 8-[(2,2-dimethyl-1-oxo-4-penten-1-yl)oxy]-
1,2,6,7,8,8a-hexahydro-β,8,6-trihydroxy-2-methyl-
MF C25 H38 O7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L2 48 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1-Naphthaleneheptanoic acid, 8-[(2S)-2-(2,3-dimethylphenoxy)-1-oxobutoxy]-
1,2,6,7,8,8a-hexahydro-β,8,6-trihydroxy-2-methyl-,
(1R,5R,1S,2S,6S,8S,8aR)-

MF C30 H42 O8
CI COM

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L2 48 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl ester,
2-hydroxy-1,2,3-propanetricarboxylate (1:1), polymer with 2-propenamide
and 2-propenoic acid (9CI)
MF (C8 H15 N O2 . C6 H8 O7 . C3 H5 N O . C3 H4 O2)x
CI PMS

CM 1




CM 2




CM 3

CM 4



CM 5



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> s l1 sss full

S L1 SSS FUL FILE=REGISTRY

FULL SEARCH INITIATED 11:14:50 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 906193 TO ITERATE

89.0% PROCESSED	806359 ITERATIONS	22673 ANSWERS
99.0% PROCESSED	897404 ITERATIONS	23591 ANSWERS
100.0% PROCESSED	906193 ITERATIONS	23608 ANSWERS
SEARCH TIME: 00.00.38		

L4 23608 SEA SSS FUL L1

1 FILES SEARCHED...

S L4 SSS FUL FILE=MARPAT

FULL SEARCH INITIATED 11:15:28 FILE 'MARPAT'

FULL SCREEN SEARCH COMPLETED - 223897 TO ITERATE

15.9% PROCESSED	35678 ITERATIONS	3267 ANSWERS
25.8% PROCESSED	57665 ITERATIONS	5016 ANSWERS
46.0% PROCESSED	102956 ITERATIONS (7 INCOMPLETE)	8240 ANSWERS
59.7% PROCESSED	133776 ITERATIONS (28 INCOMPLETE)	10943 ANSWERS
65.3% PROCESSED	146162 ITERATIONS (51 INCOMPLETE)	12247 ANSWERS
74.1% PROCESSED	165836 ITERATIONS (72 INCOMPLETE)	14000 ANSWERS
80.7% PROCESSED	180774 ITERATIONS (81 INCOMPLETE)	14853 ANSWERS
84.3% PROCESSED	188711 ITERATIONS (98 INCOMPLETE)	15642 ANSWERS
88.8% PROCESSED	198742 ITERATIONS (120 INCOMPLETE)	16645 ANSWERS
89.7% PROCESSED	200838 ITERATIONS (125 INCOMPLETE)	16845 ANSWERS
90.4% PROCESSED	202314 ITERATIONS (128 INCOMPLETE)	17008 ANSWERS
92.5% PROCESSED	207170 ITERATIONS (140 INCOMPLETE)	17512 ANSWERS
92.8% PROCESSED	207863 ITERATIONS (142 INCOMPLETE)	17583 ANSWERS
93.5% PROCESSED	209418 ITERATIONS (149 INCOMPLETE)	17756 ANSWERS
95.2% PROCESSED	213165 ITERATIONS (155 INCOMPLETE)	18161 ANSWERS
95.2% PROCESSED	213245 ITERATIONS (157 INCOMPLETE)	18175 ANSWERS

95.8%	PROCESSED	214435	ITERATIONS	(161	INCOMPLETE)	18294	ANSWERS
96.0%	PROCESSED	215008	ITERATIONS	(164	INCOMPLETE)	18346	ANSWERS
96.0%	PROCESSED	215008	ITERATIONS	(164	INCOMPLETE)	18346	ANSWERS
96.5%	PROCESSED	216146	ITERATIONS	(168	INCOMPLETE)	18473	ANSWERS
96.6%	PROCESSED	216379	ITERATIONS	(169	INCOMPLETE)	18493	ANSWERS
96.6%	PROCESSED	216379	ITERATIONS	(169	INCOMPLETE)	18493	ANSWERS
97.2%	PROCESSED	217555	ITERATIONS	(170	INCOMPLETE)	18599	ANSWERS
97.4%	PROCESSED	218078	ITERATIONS	(171	INCOMPLETE)	18665	ANSWERS
98.3%	PROCESSED	220098	ITERATIONS	(172	INCOMPLETE)	18797	ANSWERS
98.5%	PROCESSED	220647	ITERATIONS	(173	INCOMPLETE)	18849	ANSWERS
98.6%	PROCESSED	220655	ITERATIONS	(174	INCOMPLETE)	18850	ANSWERS
98.8%	PROCESSED	221208	ITERATIONS	(175	INCOMPLETE)	18912	ANSWERS
98.8%	PROCESSED	221208	ITERATIONS	(175	INCOMPLETE)	18912	ANSWERS
98.8%	PROCESSED	221221	ITERATIONS	(176	INCOMPLETE)	18914	ANSWERS
98.8%	PROCESSED	221221	ITERATIONS	(176	INCOMPLETE)	18914	ANSWERS
98.8%	PROCESSED	221221	ITERATIONS	(176	INCOMPLETE)	18914	ANSWERS
98.8%	PROCESSED	221221	ITERATIONS	(176	INCOMPLETE)	18914	ANSWERS
98.8%	PROCESSED	221221	ITERATIONS	(176	INCOMPLETE)	18914	ANSWERS
99.1%	PROCESSED	221827	ITERATIONS	(178	INCOMPLETE)	18971	ANSWERS
99.1%	PROCESSED	221827	ITERATIONS	(178	INCOMPLETE)	18971	ANSWERS
99.1%	PROCESSED	221827	ITERATIONS	(178	INCOMPLETE)	18971	ANSWERS
99.1%	PROCESSED	221827	ITERATIONS	(178	INCOMPLETE)	18971	ANSWERS
99.1%	PROCESSED	221827	ITERATIONS	(178	INCOMPLETE)	18971	ANSWERS
99.1%	PROCESSED	221827	ITERATIONS	(178	INCOMPLETE)	18971	ANSWERS
99.1%	PROCESSED	221827	ITERATIONS	(178	INCOMPLETE)	18971	ANSWERS
<-----User Break----->								
99.1%	PROCESSED	221827	ITERATIONS	(179	INCOMPLETE)	18972	ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
 PROJECTED ITERATIONS: 223897 TO 223897
 PROJECTED ANSWERS: 18972 TO 19551

L5 18972 SEA SSS FUL L1
 1 FILES SEARCHED...

=> d his

(FILE 'CAPLUS, MARPAT, REGISTRY' ENTERED AT 11:04:57 ON 24 MAR 2009)

DELETE HISTORY YES

DELETE SELECT YES

STRUCTURE UPLOADED

L1
L2 48 S L1 SSS SAM FILE=REGISTRY
L3 50 S L2 SSS SAM FILE=MARPAT
L4 23608 S L1 SSS FUL FILE=REGISTRY
L5 18972 S L4 SSS FUL FILE=MARPAT

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

523.76

523.98

FILE 'CAPLUS' ENTERED AT 11:27:25 ON 24 MAR 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 24 Mar 2009 VOL 150 ISS 13

FILE LAST UPDATED: 23 Mar 2009 (20090323/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l4

L6 159563 L4

=> e odor/ct

E#	FREQUENCY	AT	TERM
--	-----	--	----
E1	0	11	ODONUS/CT
E2	1	11	ODONUS NIGER/CT
E3	0	2 -->	ODOR/CT
E4	33213	29	ODOR AND ODOROUS SUBSTANCES/CT
E5	0	4	ODOR AND ODOROUS SUBSTANCES (L) MUSK-LIKE/CT
E6	0	4	ODOR AND ODOROUS SUBSTANCES (L) ODORIZATION/CT
E7	0	2	ODOR AND ODOROUS SUBSTANCES (L) OFF-/CT
E8	0	7	ODOR AND ODOROUS SUBSTANCES (L) OFF-ODOR/CT
E9	0	2	ODOR MOL. STRUCTURE-BIOL. ACTIVITY RELATIONSHIP/CT
E10	0	2	ODOR MOL. STRUCTURE-PROPERTY RELATIONSHIP/CT
E11	0	2	ODOR RECEPTOR/CT
E12	0	2	ODOR STRUCTURE-ACTIVITY RELATIONSHIP/CT

```

=> e e3+all
E1          0    --> Odor/CT
E2      33213    USE Odor and Odorous substances/CT
***** END *****

=> set expand continuous perm
SET COMMAND COMPLETED

=> e e2+all
E3      4097    BT1 Physical and chemical properties/CT
E4      33213    --> Odor and Odorous substances/CT
                    HNTE Valid heading during volume 76 (1972) to present.
E5      450      OLD Odorous substances/CT
E6      1757     OLD Odors/CT
E7          UF    Aroma/CT
E8          UF    Fragrance/CT
E9          UF    Fragrant substances/CT
E10         UF    Odiferous compds./CT
E11         UF    Odor/CT
E12         UF    Osmophore/CT
E13         UF    Smell/CT
E14         UF    Smell (odor)/CT
E15      978     RT    Air fresheners/CT
E16      6191     RT    Cosmetics and personal care products/CT
E17      7775     RT    Deodorization/CT
E18      2595     RT    Essences/CT
E19      25688    RT    Flavor/CT
E20      4692     RT    Olfaction/CT
E21      626      RT    Olfactory system/CT
E22      13864    RT    Perfumes/CT
E23      22247    RT    Volatile substances/CT
E24          RTCS 8-Decalactone/CT
E25          RTCS γ-Octalactone/CT
E26          RTCS 2-Methylisoborneol/CT
E27          RTCS Ethyl 2-methylbutanoate/CT
E28          RTCS Furanol/CT
E29          RTCS Geosmin/CT
E30          RTCS Trans-2-Heptenal/CT
E31          RTCS Trans-3-Hexen-1-ol/CT
***** END *****

=> s e4-e14
      33213 "ODOR AND ODOROUS SUBSTANCES"/CT
      450 "ODOROUS SUBSTANCES"/CT
      1757 ODORS/CT
      0 AROMA/CT
      0 FRAGRANCE/CT
      0 "FRAGRANT SUBSTANCES"/CT
      0 "ODIFEROUS COMPSD."/CT
      0 ODOR/CT
      0 OSMOPHORE/CT
      3 SMELL/CT
      0 "SMELL (ODOR)"/CT
L7      35413 ("ODOR AND ODOROUS SUBSTANCES"/CT OR "ODOROUS SUBSTANCES"/CT OR
ODORS/CT OR AROMA/CT OR FRAGRANCE/CT OR "FRAGRANT SUBSTANCES"/CT
OR "ODIFEROUS COMPSD."/CT OR ODOR/CT OR OSMOPHORE/CT OR SMELL/CT
T OR "SMELL (ODOR)"/CT)

=> s 16 and 17
L8      1239 L6 AND L7

```

```

=> e sweat/ct
E#   FREQUENCY   AT   TERM
--   -
E32      0       2   SWCV/CT
E33      0       1   SWE/CT
E34     1566     14 --> SWEAT/CT
E35      0      11   SWEAT (L) CONGENITAL SENSORY NEUROPATHY WITH ANHIDROSI
                        S/CT
E36      1       1   SWEAT BANDS/CT
E37     1135     11   SWEAT GLAND/CT
E38      0      11   SWEAT GLAND (L) APOCRINE/CT
E39      0      11   SWEAT GLAND (L) APOECCRINE/CT
E40      0      10   SWEAT GLAND (L) DUCT/CT
E41      0      12   SWEAT GLAND (L) ECCRINE/CT
E42      0      10   SWEAT GLAND (L) EPITHELIUM/CT
E43     224      2   SWEAT GLANDS/CT

```

```

=> e e34+all
E44      0      BT3 Biological processes and phenomena (non-CA heading)/CT
E45      0      BT2 Animal processes and phenomena (non-CA heading)/CT
E46     8332     BT2 Body, anatomical/CT
E47     23703     BT1 Body fluid/CT
E48      357     BT1 Secretions (external)/CT
E49     1566     --> Sweat/CT

```

```

                        HNTE Valid heading during volume 126 (1997) to
                        present.
E50     2308     OLD Perspiration/CT
E51      0      UF Diaphoresis/CT
E52      0      UF Diaphoretics/CT
E53      0      UF Eccrine sweat/CT
E54     2414     RT Antiperspirants/CT
E55      291     RT Personal deodorants/CT
E56     133490    RT Skin/CT
E57     1135     RT Sweat gland/CT
***** END *****

```

```

=> s e49-e53
      1566 SWEAT/CT
      2308 PERSPIRATION/CT
      0 DIAPHORESIS/CT
      0 DIAPHORETICS/CT
      0 "ECCRINE SWEAT"/CT
L9      3874 (SWEAT/CT OR PERSPIRATION/CT OR DIAPHORESIS/CT OR DIAPHORETICS/CT
            T OR "ECCRINE SWEAT"/CT)

```

```

=> s l8 and l9
L10      8 L8 AND L9

```

```

=> d l-8 ibib hit

```

```

L10 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2009 ACS on SIN
ACCESSION NUMBER: 2007:269781 CAPLUS
DOCUMENT NUMBER: 146:280302
TITLE: Biochemistry of human axilla malodor and chemistry of
        deodorant ingredients
AUTHOR(S): Gautschi, Markus; Natsch, Andreas; Schroeder, Fridtjof
CORPORATE SOURCE: Fragrance Research, Givaudan Schweiz AG, Dubendorf,
                  CH-8600, Switz.
SOURCE: Chimia (2007), 61(1-2), 27-32
        CODEN: CHIMAD; ISSN: 0009-4293
PUBLISHER: Swiss Chemical Society
DOCUMENT TYPE: Journal; General Review

```


LANGUAGE: English
 REFERENCE COUNT: 57 THERE ARE 57 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT Odor and Odorous substances
 (axilla body malodor; human axilla malodor biochem. and chemical of deodorant ingredients)
 IT Sweat
 (axillary; human axilla malodor biochem. and chemical of deodorant ingredients)
 IT 1289-40-3, Hexenoic acid 58888-76-9, 3-Hydroxy-3-methyl-hexanoic acid
 RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (human axilla malodor biochem. and chemical of deodorant ingredients)

L10 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2006:1279662 CAPLUS
 DOCUMENT NUMBER: 146:32449
 TITLE: Oil-containing deodorizing aerosol compositions having skin-cooling active substances
 INVENTOR(S): Emmerling, Winfried; Heinsohn, Ulrike
 PATENT ASSIGNEE(S): Henkel Kommanditgesellschaft Auf Aktien, Germany
 SOURCE: PCT Int. Appl., 20pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006128622	A2	20061207	WO 2006-EP4931	20060524
WO 2006128622	A3	20070315		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
DE 102005025495	A1	20061214	DE 2005-102005025495	20050601
AU 2006254359	A1	20061207	AU 2006-254359	20060524
EP 1888012	A2	20080220	EP 2006-753830	20060524
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR			
US 20080124282	A1	20080529	US 2007-948192	20071130
PRIORITY APPLN. INFO.:			DE 2005-102005025495A	20050601
			WO 2006-EP4931	W 20060524

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT Odor and Odorous substances
 (Protectate HR & MOD2;; oil-containing deodorizing aerosol compns. having skin-cooling active substances)
 IT Sweat
 (decomposing enzymes, inhibitors of; oil-containing deodorizing aerosol compns. having skin-cooling active substances)
 IT 50-21-5, Lactic acid, biological studies 65-85-0D, Benzoic acid, C12-C15 esters 69-72-7, Salicylic acid, biological studies 74-98-6, n-Propane,

biological studies 75-28-5, Isobutane 77-92-9, Citric acid, biological studies 78-78-4, Isopentane 79-14-1, Glycolic acid, biological studies 87-69-4, Tartaric acid, biological studies 89-78-1, Menthol 89-79-2, Isopulegol 103-23-1, Di(2-ethylhexyl)adipate 104-76-7, 2-Ethylhexyl alcohol 105-99-7, Di-n-butyladipate 106-97-8, n-Butane, biological studies 109-43-3, Di-n-butylsebacate 109-66-0, n-Pentane, biological studies 110-27-0, Isopropyl myristate 110-40-7, Diethylsebacate 112-10-7, Isopropyl stearate 112-11-8, Isopropylolate 123-95-5, n-Butylstearate 142-16-5, Dioctylmaleate 142-91-6, Isopropyl palmitate 624-03-3, Ethyleneglycoldipalmitate 629-82-3, Cetiol OE 693-19-6B, Isononanoic acid, cetearyl derivs. 928-24-5, Ethyleneglycoldioleate 1327-41-9, Reach 103 1565-76-0, Menthylmethylether 2432-87-3, Dioctylsebacate 2456-28-2, Didecyl ether 2915-53-9, Dicapryl maleate 2915-57-3, Di-2-ethylhexylsuccinate 3687-45-4, Oleyleolate 3687-46-5 4602-84-0, Farnesol 5444-75-7, Ethylhexylbenzoate 6915-15-7, Malic acid 6938-94-9, Diisopropyladipate 7491-02-3, Diisopropylsebacate 15763-02-7, Dioctylmaleate 17071-54-4, Hexyl octyl ether 17088-93-6 17162-29-7, Menthylactate 17618-45-0, 2-Hexyldeacylsteareate 17673-56-2, Oleyleurcate 20292-08-4, 2-Ethylhexyllaureate 22047-49-0, 2-Ethylhexylsteareate 22766-84-3, 2-Octyldodecylpalmitate 25339-09-7, Isocetylsteareate 27215-38-9, Glycerin monolaurate 27640-89-7, Erucylurcate 28880-24-2, Diisooctylsuccinate, biological studies 29806-73-3, 2-Ethylhexyl palmitate 30500-51-7, Isononylsteareate 34316-64-8, n-Hexyllaureate 34364-24-4, Isostearylbenzoate 34513-50-3, Octyldodecanol 40550-16-1, Isooctylsteareate 42131-25-9, Isononylisononanoate 42131-27-1, Isotridecylisononanoate 60209-82-7, Isodecylneopentanoate 63187-91-7, Menthone glycerin acetal 68171-33-5, Isopropylisostearate 70445-33-9, Sensiva SC 50 74565-11-0, Finsolv TN 75363-56-3 81897-25-8, 2-Ethylhexylisostearate 85617-81-8, Erucyloleate 92353-16-7, Hexyldecanol 117356-20-4 143608-26-8 156324-82-2 156679-39-9 158599-25-8, Diglycerin monocaprate 161544-28-1, Cosmacol EMI 195060-85-6 221333-66-0 227450-65-9, Hexyldecyllaureate 351420-48-9 841309-69-1
 RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
 (oil-containing deodorizing aerosol comps. having skin-cooling active substances)

L10 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2006:104126 CAPLUS

DOCUMENT NUMBER: 145:184938

TITLE: A broad diversity of volatile carboxylic acids, released by a bacterial aminoacylase from axilla secretions, as candidate molecules for the determination of human-body odor type

AUTHOR(S): Natsch, Andreas; Derrer, Samuel; Flachsmann, Felix; Schmid, Joachim

CORPORATE SOURCE: Givaudan Schweiz AG, Duebendorf, CH-8600, Switz.

SOURCE: Chemistry & Biodiversity (2006), 3(1), 1-20

CODEN: CBHIAM; ISSN: 1612-1872

PUBLISHER: Verlag Helvetica Chimica Acta AG

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT Odor and Odorous substances

(body odor; volatile carboxylic acids from axilla secretions, as candidate mols. for determination of human-body odor type)

IT Human

Sweat

(volatile carboxylic acids from axilla secretions, as candidate mols. for determination of human-body odor type)

IT 50-21-5, Lactic acid, biological studies 103-82-2, Phenylacetic acid, biological studies 123-99-9, Azelaic acid, biological studies 156-38-7, (4-Hydroxyphenyl)acetic acid 505-48-6, Suberic acid 764-89-6 816-66-0 1460-34-0 3788-56-5, 9-Hydroxynonanoic acid 6966-34-3 14292-26-3 14292-27-4 16493-80-4 27960-21-0 54068-86-9 58888-76-9 59866-91-0 80113-38-8 80113-39-9 132735-95-6 160595-71-1 875712-96-2 903503-32-2 903503-33-3 903503-34-4 903503-35-5
 RL: BSU (Biological study, unclassified); BIOL (Biological study) (volatile carboxylic acids from axilla secretions, as candidate mols. for determination of human-body odor type)

L10 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2005:329511 CAPLUS
 DOCUMENT NUMBER: 143:332012
 TITLE: Isolation of a bacterial enzyme releasing axillary malodor and its use as a screening target for novel deodorant formulations
 AUTHOR(S): Natsch, A.; Gfeller, H.; Gygax, P.; Schmid, J.
 CORPORATE SOURCE: Givaudan Schweiz AG, Duebendorf, CH-8600, Switz.
 SOURCE: International Journal of Cosmetic Science (2005), 27(2), 115-122
 CODEN: IJCMDW; ISSN: 0142-5463
 PUBLISHER: Blackwell Publishing Ltd.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT Sweat
 (axillary; isolation of bacterial enzyme releasing axillary malodor)
 IT Odor and Odorous substances
 (off-odor; isolation of bacterial enzyme releasing axillary malodor)
 IT 58888-76-9P, 3-Hydroxy-3-methyl-hexanoic acid
 RL: ANT (Analyte); PUR (Purification or recovery); ANST (Analytical study); PREP (Preparation)
 (isolation of bacterial enzyme releasing axillary malodor)

L10 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2005:19524 CAPLUS
 DOCUMENT NUMBER: 142:313793
 TITLE: Identification of new odoriferous compounds in human axillary sweat
 AUTHOR(S): Hasegawa, Yoshihiro; Yabuki, Masayuki; Matsukane, Masamoto
 CORPORATE SOURCE: Perfumery Development Research Laboratory, Kao Corporation, Tokyo, Japan
 SOURCE: Chemistry & Biodiversity (2004), 1(12), 2042-2050
 CODEN: CBHIAM; ISSN: 1612-1872
 PUBLISHER: Verlag Helvetica Chimica Acta AG
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT Human
 Odor and Odorous substances
 Sweat
 (identification of new odoriferous compds. in human axillary sweat)
 IT 51755-83-0P 58888-76-9P, 3-Hydroxy-3-methylhexanoic acid
 227456-33-9P 307964-33-6P 548740-99-4P 757219-24-2P 757219-38-8P 828300-39-6P
 RL: BSU (Biological study, unclassified); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(identification of new odoriferous compds. in human axillary sweat)

L10 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:754422 CAPLUS

DOCUMENT NUMBER: 141:282457

TITLE: Pseudo-body odor composition and perfume composition for inhibiting body odor

INVENTOR(S): Ogura, Miharuru; Sakurai, Kazutoshi; Sawano, Kiyohito; Yamazaki, Sadahiko; Hirano, Koji

PATENT ASSIGNEE(S): Takasago International Corporation, Japan

SOURCE: PCT Int. Appl., 111 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004078154	A1	20040916	WO 2004-JP2300	20040226
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
JP 2004263102	A	20040924	JP 2003-56017	20030303
JP 2004262900	A	20040924	JP 2003-57462	20030304
AU 2004218560	A1	20040916	AU 2004-218560	20040226
EP 1601338	A1	20051207	EP 2004-714939	20040226
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
CN 1756525	A	20060405	CN 2004-80005817	20040226
CN 100356901	C	20071226		
US 20060159639	A1	20060720	US 2005-547638	20050901

PRIORITY APPLN. INFO.: JP 2003-56017 A 20030303
JP 2003-57462 A 20030304
WO 2004-JP2300 A 20040226

REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT Odor and Odorous substances
(body, pseudo-, for deodorant evaluation; pseudo-body odor composition containing aldehydes, carboxylic acids and fatty acids for evaluation of deodorant perfumes for inhibiting body odor)

IT Sweat
(pseudo-, for deodorant evaluation; pseudo-body odor composition containing aldehydes, carboxylic acids and fatty acids for evaluation of deodorant perfumes for inhibiting body odor)

IT 50-21-5, Lactic acid, biological studies 64-19-7, Acetic acid, biological studies 77-93-0, Triethyl citrate 79-31-2, Isobutanoic acid 107-92-6, Butanoic acid, biological studies 111-14-8, Heptanoic acid 112-05-0, Nonanoic acid 112-44-7, Undecyl aldehyde 120-51-4, Benzyl benzoate 124-07-2, Octanoic acid, biological studies 142-62-1, Hexanoic acid, biological studies 503-74-2, Isovaleric acid 27960-21-0, (E)-3-Methyl-2-hexenoic acid 54068-86-9, (Z)-3-Methyl-2-hexenoic acid 58888-76-9, 3-Hydroxy-3-methylhexanoic acid 757219-24-2 757219-38-8

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(pseudo-body odor composition containing aldehydes, carboxylic acids and fatty

acids for evaluation of deodorant perfumes for inhibiting body odor)

L10 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:308604 CAPLUS

DOCUMENT NUMBER: 140:326641

TITLE: Indicator for assessing body odor, process for producing the same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor

INVENTOR(S): Yabuki, Masayuki; Hasegawa, Yoshihiro; Matsukane, Masamoto; Yabe, Emi

PATENT ASSIGNEE(S): Kao Corporation, Japan

SOURCE: PCT Int. Appl., 86 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004031766	A1	20040415	WO 2003-JP12793	20031006
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SJ, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003268776	A1	20040423	AU 2003-268776	20031006
JP 2004309454	A	20041104	JP 2003-346586	20031006
JP 4113825	B2	20080709		
EP 1553411	A1	20050713	EP 2003-748731	20031006
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2005017272	A	20050120	JP 2004-83654	20040322
JP 4081034	B2	20080423		
US 20060160240	A1	20060720	US 2005-529897	20051216
PRIORITY APPLN. INFO.:			JP 2002-293104	A 20021004
			JP 2003-83801	A 20030325
			JP 2003-116582	A 20030422
			JP 2003-160082	A 20030604
			JP 2003-346586	A 20031006
			WO 2003-JP12793	W 20031006

OTHER SOURCE(S): MARPAT 140:326641

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT Deodorants (personal)

Human

Odor and Odorous substances

Sweat

(indicator for assessing body odor containing β -hydroxy carboxylates or 3-mercapto alcs., process for producing same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor)

IT 51755-83-0P, 3-Mercaptohexanol 58888-76-9P,
3-Hydroxy-3-methylhexanoic acid 227456-27-1P 227456-33-9P
307964-23-4P 548740-99-4P

RL: ANT (Analyte); BSU (Biological study, unclassified); PUR (Purification

or recovery); ANST (Analytical study); BIOL (Biological study); PREP (Preparation)
(indicator for assessing body odor containing β -hydroxy carboxylates or 3-mercapto alcs., process for producing same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor)

L10 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 2003:122930 CAPLUS
DOCUMENT NUMBER: 139:2719
TITLE: A Specific Bacterial Aminoacylase Cleaves Odorant Precursors Secreted in the Human Axilla
AUTHOR(S): Natsch, Andreas; Gfeller, Hans; Gygas, Peter; Schmid, Joachim; Acuna, Gonzalo
CORPORATE SOURCE: Givaudan Duebendorf Ltd., Duebendorf, CH-8600, Switz.
SOURCE: Journal of Biological Chemistry (2003), 278(8), 5718-5727
CODEN: JBCHA3; ISSN: 0021-9258
PUBLISHER: American Society for Biochemistry and Molecular Biology
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 33 THERE ARE 33 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT
IT Odor and Odorous substances
Sweat
(anal. of hydrolyzed axilla secretions)
IT 35205-70-0, 3-Methyl-2-hexenoic acid 58888-76-9,
3-Hydroxy-3-methylhexanoic acid
RL: BSU (Biological study, unclassified); BIOL (Biological study)
(anal. of hydrolyzed axilla secretions)

=> FIL REGISTRY

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	52.88	576.86

FILE 'REGISTRY' ENTERED AT 11:32:28 ON 24 MAR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 22 MAR 2009 HIGHEST RN 1125392-64-4
DICTIONARY FILE UPDATES: 22 MAR 2009 HIGHEST RN 1125392-64-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=> S 58888-76-9/RN

L11 1 58888-76-9/RN

=> SET NOTICE 1 DISPLAY

NOTICE SET TO 1 U.S. DOLLAR FOR DISPLAY COMMAND
SET COMMAND COMPLETED

=> D L11 SQIDE 1-

YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N):y
THE ESTIMATED COST FOR THIS REQUEST IS 6.85 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:y

L11 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2009 ACS on STN

RN 58888-76-9 REGISTRY

CN Hexanoic acid, 3-hydroxy-3-methyl- (CA INDEX NAME)

OTHER NAMES:

CN β -Hydroxy- β -methylcaproic acid

CN β -Hydroxy- β -methylhexanoic acid

CN 3-Hydroxy-3-methylhexanoic acid

MF C7 H14 O3


LC STN Files: BEILSTEIN*, BIOSIS, CA, CAPLUS, CHEMCATS, TOXCENTER,
USPATFULL

(*File contains numerically searchable property data)

DT.CA Caplus document type: Journal; Patent

RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study);
PREP (Preparation); USES (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological
study); PREP (Preparation); PRP (Properties); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

15 REFERENCES IN FILE CA (1907 TO DATE)

15 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> SET NOTICE LOGIN DISPLAY

NOTICE SET TO OFF FOR DISPLAY COMMAND
SET COMMAND COMPLETED

=>

=> d ibib abs hitstr 1-8

'IBIB' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'

'ABS' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'

'HITSTR' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'

The following are valid formats:

Substance information can be displayed by requesting individual fields or predefined formats. The predefined substance formats are: (RN = CAS Registry Number)

REG - RN
SAM - Index Name, MF, and structure - no RN
FIDE - All substance data, except sequence data
IDE - FIDE, but only 50 names
SQIDE - IDE, plus sequence data
SQIDE3 - Same as SQIDE, but 3-letter amino acid codes are used
SQD - Protein sequence data, includes RN
SQD3 - Same as SQD, but 3-letter amino acid codes are used
SQN - Protein sequence name information, includes RN

EPROP - Table of experimental properties
PPROP - Table of predicted properties
PROP - EPROP, ETAG, PPROP and SPEC

Any CA File format may be combined with any substance format to obtain CA references citing the substance. The substance formats must be cited first. The CA File predefined formats are:

ABS -- Abstract
APPS -- Application and Priority Information
BIB -- CA Accession Number, plus Bibliographic Data
CAN -- CA Accession Number
CBIB -- CA Accession Number, plus Bibliographic Data (compressed)
IND -- Index Data
IPC -- International Patent Classification
PATS -- PI, SO
STD -- BIB, IPC, and NCL

IABS -- ABS, indented, with text labels
IBIB -- BIB, indented, with text labels
ISTD -- STD format, indented

OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

The ALL format gives FIDE BIB ABS IND RE, plus sequence data when it is available.

The MAX format is the same as ALL.

The IALL format is the same as ALL with BIB ABS and IND indented, with text labels.

For additional information, please consult the following help messages:

HELP DFIELDS -- To see a complete list of individual display fields.
HELP FORMATS -- To see detailed descriptions of the predefined formats.
ENTER DISPLAY FORMAT (IDE):wend
'WEND' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'

The following are valid formats:

Substance information can be displayed by requesting individual fields or predefined formats. The predefined substance formats are: (RN = CAS Registry Number)

REG - RN
 SAM - Index Name, MF, and structure - no RN
 FIDE - All substance data, except sequence data
 IDE - FIDE, but only 50 names
 SQIDE - IDE, plus sequence data
 SQIDE3 - Same as SQIDE, but 3-letter amino acid codes are used
 SQD - Protein sequence data, includes RN
 SQD3 - Same as SQD, but 3-letter amino acid codes are used
 SQN - Protein sequence name information, includes RN

EPROP - Table of experimental properties
 PPROP - Table of predicted properties
 PROP - EPROP, ETAG, PPROP and SPEC

Any CA File format may be combined with any substance format to obtain CA references citing the substance. The substance formats must be cited first. The CA File predefined formats are:

ABS -- Abstract
 APPS -- Application and Priority Information
 BIB -- CA Accession Number, plus Bibliographic Data
 CAN -- CA Accession Number
 CBIB -- CA Accession Number, plus Bibliographic Data (compressed)
 IND -- Index Data
 IPC -- International Patent Classification
 PATS -- PI, SO
 STD -- BIB, IPC, and NCL

IABS -- ABS, indented, with text labels
 IBIB -- BIB, indented, with text labels
 ISTD -- STD format, indented

OBIB ----- AN, plus Bibliographic Data (original)
 OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
 SIBIB ----- IBIB, no citations

The ALL format gives FIDE BIB ABS IND RE, plus sequence data when it is available.

The MAX format is the same as ALL.

The IALL format is the same as ALL with BIB ABS and IND indented, with text labels.

For additional information, please consult the following help messages:

HELP DFIELDS -- To see a complete list of individual display fields.
 HELP FORMATS -- To see detailed descriptions of the predefined formats.
 ENTER DISPLAY FORMAT (IDE):end

=> file caplus
 COST IN U.S. DOLLARS
 FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
2.53	579.39

FILE 'CAPLUS' ENTERED AT 11:33:18 ON 24 MAR 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 24 Mar 2009 VOL 150 ISS 13
FILE LAST UPDATED: 23 Mar 2009 (20090323/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> display ibib abs hitstr 1-8
ENTER (L11), L# OR ? :y
'Y' IS NOT VALID HERE

For an explanation, enter "HELP DISPLAY".

=> l11
L11 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

=> display ibib abs hitstr 1-8 l11
YOU HAVE REQUESTED DATA FROM FILE 'REGISTRY' - CONTINUE? (Y)/N:end

=> d his

```
(FILE 'CAPLUS, MARPAT, REGISTRY' ENTERED AT 11:04:57 ON 24 MAR 2009)
      DELETE HISTORY YES
      DELETE SELECT YES
L1      STRUCTURE UPLOADED
L2      48 S L1 SSS SAM FILE=REGISTRY
L3      50 S L2 SSS SAM FILE=MARPAT
L4      23608 S L1 SSS FUL FILE=REGISTRY
L5      18972 S L4 SSS FUL FILE=MARPAT


FILE 'CAPLUS' ENTERED AT 11:27:25 ON 24 MAR 2009
L6      159563 S L4
      E ODOR/CT
      E E3+ALL
      SET EXPAND CONTINUOUS PERM
      E E2+ALL
L7      35413 S E4-E14
L8      1239 S L6 AND L7
      E SWEAT/CT
      E E34+ALL
L9      3874 S E49-E53
L10     8 S L8 AND L9
```

FILE 'REGISTRY' ENTERED AT 11:32:28 ON 24 MAR 2009
L11 1 S 58888-76-9/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

FILE 'CAPLUS' ENTERED AT 11:33:18 ON 24 MAR 2009

=> d l10 1-8 ibib abs hitstr

L10 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 2007:269781 CAPLUS
DOCUMENT NUMBER: 146:280302
TITLE: Biochemistry of human axilla malodor and chemistry of
deodorant ingredients
AUTHOR(S): Gautschi, Markus; Natsch, Andreas; Schroeder, Fridtjof
CORPORATE SOURCE: Fragrance Research, Givaudan Schweiz AG, Dubendorf,
CH-8600, Switz.
SOURCE: Chimia (2007), 61(1-2), 27-32
CODEN: CHIMAD; ISSN: 0009-4293
PUBLISHER: Swiss Chemical Society
DOCUMENT TYPE: Journal; General Review
LANGUAGE: English
AB A review. Key human axilla malodorants are hexenoic acid and
3-hydroxy-3-methyl-hexanoic acid, accompanied by some 25 structurally
related hydroxyalkanoic acids and alkenoic acids. These sweat acids are
secreted in the axilla in the form of odorless glutamine conjugates and
are released upon enzymolysis by AMRE (axillary malodor releasing enzyme),
produced by Corynebacteria. The sulfanylalkanols represent another
important group of axilla malodor compds. that are also secreted in the
form of odorless precursors. The major precursors are cysteine-glycine
sulfanylalkanol conjugates and the minor precursors are cysteine-
sulfanylalkanol conjugates. The release occurs upon action of a
 β -lyase of axilla bacteria. Besides the classical approaches of
axilla malodor masking using fragrances, the use of chems. to neutralize
malodorants is described. The elucidation of the biochem. of the sweat
acid release has allowed the development of fragrance precursors that act
as competitive substrates to the natural malodor precursors as well as the
development of specific antagonists that block AMRE. Finally, the
characterization and functional expression of a first human malodor
receptor presents an interesting approach for future development of axilla
malodor blockers.
IT 58888-76-9, 3-Hydroxy-3-methyl-hexanoic acid
RL: BSU (Biological study, unclassified); BIOL (Biological study)
(human axilla malodor biochem. and chemical of deodorant ingredients)
RN 58888-76-9 CAPLUS
CN Hexanoic acid, 3-hydroxy-3-methyl- (CA INDEX NAME)




REFERENCE COUNT: 57 THERE ARE 57 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L10 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 2006:1279662 CAPLUS
DOCUMENT NUMBER: 146:32449

TITLE: Oil-containing deodorizing aerosol compositions having skin-cooling active substances
 INVENTOR(S): Emmerling, Winfried; Heinsohn, Ulrike
 PATENT ASSIGNEE(S): Henkel Kommanditgesellschaft Auf Aktien, Germany
 SOURCE: PCT Int. Appl., 20pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006128622	A2	20061207	WO 2006-EP4931	20060524
WO 2006128622	A3	20070315		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM DE 102005025495 A1 20061214 DE 2005-102005025495 20050601 AU 2006254359 A1 20061207 AU 2006-254359 20060524 EP 1888012 A2 20080220 EP 2006-753830 20060524 R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR US 20080124282 A1 20080529 US 2007-948192 20071130 PRIORITY APPLN. INFO.: DE 2005-102005025495A 20050601 WO 2006-EP4931 W 20060524				
AB	The invention relates to essentially alc.-free deodorizing aerosol compns., which contain selected oils, a skin-cooling active substance, a deodorizing active substance and a propellant gas. Thus a composition contained (weight/weight%): iso-Pr myristate 5.0; tri-Et citrate 2.9; phenoxyethanol 0.5; Proctate HR 0.2; α-(2-ethylhexyl)glycerin ether 0.3; diglycerin monocaprylate 0.2; Optacool A (not encapsulated) 0.1; perfume (not encapsulated) 1.0; n-butane to 100.			
IT	77-92-9, Citric acid, biological studies 6915-15-7, Malic acid RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses) (oil-containing deodorizing aerosol compns. having skin-cooling active substances)			
RN	77-92-9 CAPLUS			
CN	1,2,3-Propanetricarboxylic acid, 2-hydroxy- (CA INDEX NAME)			



RN 6915-15-7 CAPLUS
 CN Butanedioic acid, 2-hydroxy- (CA INDEX NAME)



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2006:104126 CAPLUS

DOCUMENT NUMBER: 145:184938

TITLE: A broad diversity of volatile carboxylic acids, released by a bacterial aminoacylase from axilla secretions, as candidate molecules for the determination of human-body odor type

AUTHOR(S): Natsch, Andreas; Derrer, Samuel; Flachsmann, Felix; Schmid, Joachim

CORPORATE SOURCE: Givaudan Schweiz AG, Duebendorf, CH-8600, Switz.

SOURCE: Chemistry & Biodiversity (2006), 3(1), 1-20

CODEN: CBHIAM; ISSN: 1612-1872

PUBLISHER: Verlag Helvetica Chimica Acta AG

DOCUMENT TYPE: Journal

LANGUAGE: English


AB Human body odor is to a large part determined by secretions of glands in the axillary regions. Two key odoriferous principles, 3-methylhex-2-enoic acid (3MH2; 4/5) and 3-hydroxy-3-methylhexanoic acid (HMHA; 6) have been shown to be released from glutamine conjugates secreted in the axilla by a specific Na-acyl-glutamine aminoacylase (N-AGA) obtained from axilla isolates of *Corynebacteria* sp. However, the low number of different odorants reported in humans stands in contrast to the observed high inter-individual variability in body odors. Axilla secretions of individual donors were, therefore, analyzed in detail. The secretions were treated with N-AGA, analyzed by GC/MS, and compared to undigested controls. Over 28 different carboxylic acids were released by this enzyme from odorless axilla secretions (Table 1). Many of these body odorants have not been reported before from a natural source, and they include several aliphatic 3-hydroxy acids with 4-Me branches, 3,4-unsatd., 4-Et-branched aliphatic acids, and a variety of degradation products of amino acids. The odor threshold of some of the acids was found to be in the range of 1 ng. Most of these compds. were present in all donors tested, but in highly variable relative amts., and they are, thus, candidate mols. as key components of a 'compound odor' determining the individual types of human body odor.

IT 58888-76-9 59866-91-0 160595-71-1

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(volatile carboxylic acids from axilla secretions, as candidate mols.
for determination of human-body odor type)

RN 58888-76-9 CAPLUS

CN Hexanoic acid, 3-hydroxy-3-methyl- (CA INDEX NAME)




RN 59866-91-0 CAPLUS

CN Hexanoic acid, 3-hydroxy-4-methyl- (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 160595-71-1 CAPLUS

CN Heptanoic acid, 3-hydroxy-3-methyl- (CA INDEX NAME)



REFERENCE COUNT: 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:329511 CAPLUS

DOCUMENT NUMBER: 143:332012

TITLE: Isolation of a bacterial enzyme releasing axillary malodor and its use as a screening target for novel deodorant formulations

AUTHOR(S): Natsch, A.; Gfeller, H.; Gygax, P.; Schmid, J.

CORPORATE SOURCE: Givaudan Schweiz AG, Duebendorf, CH-8600, Switz.

SOURCE: International Journal of Cosmetic Science (2005), 27(2), 115-122

CODEN: IJCMDW; ISSN: 0142-5463

PUBLISHER: Blackwell Publishing Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Axillary odor is known since 50 years to be formed upon the action of Corynebacteria on odorless axilla secretions, but the nature of the bacterial enzymes involved in this process remained a mystery. The authors identified the known axilla odor determinant 3-methyl-2-hexenoic acid in hydrolyzed axilla secretions along with a new, chemical related compound, 3-hydroxy-3-methyl-hexanoic acid. The natural, odorless precursors of both these acids were purified from non-hydrolyzed fresh axilla secretions. The malodorous acids were shown to be covalently linked to a glutamine residue in fresh axilla secretions. Corynebacteria, but not Staphylococci, isolated from the axilla were found to release the acids from these precursors in vitro. A Zn²⁺-dependent aminoacylase mediating this cleavage was then purified from Corynebacterium striatum Ax20 and the corresponding gene agaA was cloned and heterologously expressed in Escherichia coli. Based on these biochem. findings, novel approaches in research on axilla malodor control are presented: (a) With a new test method using the isolated Corynebacteria and their enzymic activity, the direct malodor-controlling activity of existing cosmetic ingredients was evaluated. (b) The structure of the natural malodor precursor was modified by replacing the malodor acid with fragrance mols. These new fragrance precursors were shown to be cleaved by the same aminoacylase.


IT 58888-76-9P, 3-Hydroxy-3-methyl-hexanoic acid

RL: ANT (Analyte); PUR (Purification or recovery); ANST (Analytical study); PREP (Preparation)

(isolation of bacterial enzyme releasing axillary malodor)


RN 58888-76-9 CAPLUS

CN Hexanoic acid, 3-hydroxy-3-methyl- (CA INDEX NAME)




REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 2005:19524 CAPLUS
DOCUMENT NUMBER: 142:313793
TITLE: Identification of new odoriferous compounds in human axillary sweat
AUTHOR(S): Hasegawa, Yoshihiro; Yabuki, Masayuki; Matsukane, Masamoto
CORPORATE SOURCE: Perfumery Development Research Laboratory, Kao Corporation, Tokyo, Japan
SOURCE: Chemistry & Biodiversity (2004), 1(12), 2042-2050
CODEN: CBHIAM; ISSN: 1612-1872
PUBLISHER: Verlag Helvetica Chimica Acta AG
DOCUMENT TYPE: Journal
LANGUAGE: English
AB 3-Hydroxy-3-methylhexanoic acid (1) and the 3-sulfanyllalkan-1-ols (2-5) were identified to contribute to the odor of human axillary sweat. Quant. analyses of axillary sweat exts. from 50 healthy men showed an unambiguous correlation between the detected levels of 1 and the intensity of the axillary odor. Chiral-GC analyses revealed 1 to be a 72: 28 mixture of the (S)/(R)-isomers. Optically pure (S)-1 (> 97% ee) emanated a strong spicy note, which recalled typical axillary odors.
3-Methyl-3-sulfanyllhexan-1-ol (2), the enantiomeric ratio of which equaled that of 1, was present in greater quantity than any of the other 3-sulfanyllalkanois. Optically pure (S)-2 (> 97% ee) had a strong meaty, fruity note, also reminiscent of axillary odor. The compds. identified, in particular (S)-1 and (S)-2, contribute significantly to the olfactory impression of human axillary odor.
IT 58888-76-9P, 3-Hydroxy-3-methylhexanoic acid 757219-24-2P
757219-38-8P
RL: BSU (Biological study, unclassified); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(identification of new odoriferous compds. in human axillary sweat)
RN 58888-76-9 CAPLUS
CN Hexanoic acid, 3-hydroxy-3-methyl- (CA INDEX NAME)




RN 757219-24-2 CAPLUS
CN Hexanoic acid, 3-hydroxy-3-methyl-, (3R)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



RN 757219-38-8 CAPLUS
CN Hexanoic acid, 3-hydroxy-3-methyl-, (3S)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2004:754422 CAPLUS
 DOCUMENT NUMBER: 141:282457
 TITLE: Pseudo-body odor composition and perfume composition for inhibiting body odor
 INVENTOR(S): Ogura, Miharu; Sakurai, Kazutoshi; Sawano, Kiyohito; Yamazaki, Sadahiko; Hirano, Koji
 PATENT ASSIGNEE(S): Takasago International Corporation, Japan
 SOURCE: PCT Int. Appl., 111 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004078154	A1	20040916	WO 2004-JP2300	20040226
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
JP 2004263102	A	20040924	JP 2003-56017	20030303
JP 2004262900	A	20040924	JP 2003-57462	20030304
AU 2004218560	A1	20040916	AU 2004-218560	20040226
EP 1601338	A1	20051207	EP 2004-714939	20040226
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
CN 1756525	A	20060405	CN 2004-80005817	20040226
CN 100356901	C	20071226		
US 20060159639	A1	20060720	US 2005-547638	20050901
PRIORITY APPLN. INFO.:				
			JP 2003-56017	A 20030303
			JP 2003-57462	A 20030304
			WO 2004-JP2300	A 20040226

AB A pseudo-body odor composition according to the present invention comprises (A) at least one compound selected from hydroxyalkenyl carboxylic acids having 5 to 8 carbon atoms and alkenyl carboxylic acids having 5 to 8 carbon atoms and one double bond; (B) at least one compound selected from fatty acids having 2 to 24 carbon atoms; and (C) at least one compound selected from aldehydes having 2 to 13 carbon atoms. A deodorant perfume composition according to the invention includes one or more components that are excellent in masking effect and/or a harmonizing effect to an acid odor selected from hydroxyalkenyl carboxylic acids having 5 to 8 carbon atoms and alkenyl carboxylic acids having 5 to 8 carbon atoms and one double bond. For example, a composition that obviously senses the body odor likeness, in particular as a sweat odor and armpit odor, contained 3-hydroxy-3-methylhexanoic acid (enantiomer ratio R/S of 1:3) 13.00, 3-methyl-2-hexenoic acid (trans/cis isomers ratio of 1:1) 5.00, acetic acid 11.85, isobutanoic acid 3.95, butanoic acid 0.79, isovaleric acid

3.95, hexanoic acid 0.79, heptanoic acid 0.79, octanoic acid 0.79, nonanoic acid 0.79, lactic acid 55.30, hexyl aldehyde 0.60, octyl aldehyde 0.36, nonyl aldehyde 0.09, decyl aldehyde 0.90, undecyl aldehyde 0.60, dodecyl aldehyde 0.23, benzyl benzoate 0.23, and tri-Et citrate 5.00%, resp. Perfume comps. were also given and evaluated for their masking or harmonizing effects using a 2 cm x 2 cm filter paper with 200 µL of a pseudo body odor composition obtained.

IT 58888-76-9, 3-Hydroxy-3-methylhexanoic acid 757219-24-2

757219-38-8

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)


(pseudo-body odor composition containing aldehydes, carboxylic acids and

fatty

acids for evaluation of deodorant perfumes for inhibiting body odor)

RN 58888-76-9 CAPLUS


CN Hexanoic acid, 3-hydroxy-3-methyl- (CA INDEX NAME)



RN 757219-24-2 CAPLUS

CN Hexanoic acid, 3-hydroxy-3-methyl-, (3R)- (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 757219-38-8 CAPLUS

CN Hexanoic acid, 3-hydroxy-3-methyl-, (3S)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:308604 CAPLUS

DOCUMENT NUMBER: 140:326641

TITLE: Indicator for assessing body odor, process for producing the same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor

INVENTOR(S): Yabuki, Masayuki; Hasegawa, Yoshihiro; Matsukane, Masamoto; Yabe, Emi

PATENT ASSIGNEE(S): Kao Corporation, Japan

SOURCE: PCT Int. Appl., 86 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004031766	A1	20040415	WO 2003-JP12793	20031006
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003268776	A1	20040423	AU 2003-268776	20031006
JP 2004309454	A	20041104	JP 2003-346586	20031006
JP 4113825	B2	20080709		
EP 1553411	A1	20050713	EP 2003-748731	20031006
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2005017272	A	20050120	JP 2004-83654	20040322
JP 4081034	B2	20080423		
US 20060160240	A1	20060720	US 2005-529897	20051216
			JP 2002-293104	A 20021004
			JP 2003-83801	A 20030325
			JP 2003-116582	A 20030422
			JP 2003-160082	A 20030604
			JP 2003-346586	A 20031006
			WO 2003-JP12793	W 20031006

PRIORITY APPLN. INFO.:


OTHER SOURCE(S): MARPAT 140:326641

AB Disclosed is an indicator for assessing body odor containing at least one member selected from the group consisting of (A) a β -hydroxycarboxylic acid compound $R1C(OH)(R2)CH2COOH$ ($R1 = C1-4$ alkyl; $R2 = H, C1-4$ alkyl; total number of C is ≤ 10), (B) a derivative of the above compound A, (C) an alc. compound having a mercapto group at the 3-position $HSC(R3)(R4)CH(R5)CH2OH$ ($R3 = H, Me$; $R4 = C1-3$ alkyl $R5 = H, Meas$; total number of C is ≤ 8), and (D) a derivative of the above compound C, especially 3-hydroxy-3-methylhexanoic acid and 3-mercapto-3-methylhexanol. Also it is intended to provide a process for producing the above compound C which comprises incubating human-origin perspiration in an environment with an oxygen concentration of 10 volume/volume% or below. Further, it is intended to provide a kit for assessing human body odor which contains a color developing reagent reacting with a human perspiration-origin β -hydroxycarboxylic acid.

IT 58888-76-9P, 3-Hydroxy-3-methylhexanoic acid
 RL: ANT (Analyte); BSU (Biological study, unclassified); PUR (Purification or recovery); ANST (Analytical study); BIOL (Biological study); PREP (Preparation)
 (indicator for assessing body odor containing β -hydroxy carboxylates or 3-mercapto alcs., process for producing same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor)


RN 58888-76-9 CAPLUS

CN Hexanoic acid, 3-hydroxy-3-methyl- (CA INDEX NAME)



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2003:122930 CAPLUS
 DOCUMENT NUMBER: 139:2719
 TITLE: A Specific Bacterial Aminoacylase Cleaves Odorant Precursors Secreted in the Human Axilla
 AUTHOR(S): Natsch, Andreas; Gfeller, Hans; Gygax, Peter; Schmid, Joachim; Acuna, Gonzalo
 CORPORATE SOURCE: Givaudan Duebendorf Ltd., Duebendorf, CH-8600, Switz.
 SOURCE: Journal of Biological Chemistry (2003), 278(8), 5718-5727
 CODEN: JBCHA3; ISSN: 0021-9258
 PUBLISHER: American Society for Biochemistry and Molecular Biology
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB Human axillary odor is known to be formed upon the action of Corynebacteria sp. on odorless axilla secretions. The known axilla odor determinant 3-methyl-2-hexenoic acid was identified in hydrolyzed axilla secretions along with a chemical related compound, 3-hydroxy-3-methylhexanoic acid. The natural precursors of both these acids were purified from non-hydrolyzed axilla secretions. From liquid chromatog./mass spectrometry anal., it appeared that the acids are covalently linked to a glutamine residue in fresh axilla secretions, and the corresponding conjugates were synthesized for confirmation. Bacterial isolates obtained from the human axilla and belonging to the Corynebacteria were found to release the acids from these odorless precursors in vitro. A Zn²⁺-dependent aminoacylase mediating this cleavage was purified from Corynebacterium striatum Ax20, and the corresponding gene agaA was cloned and heterologously expressed in Escherichia coli. The enzyme is highly specific for the glutamine residue but has a low specificity for the acyl part of the substrate. agaA is closely related to many genes coding for enzymes involved in the cleavage of N-terminal acyl and aryl substituents from amino acids. This is the first report of the structure elucidation of precursors for human body odorants and the isolation of the bacterial enzyme involved in their cleavage.
 IT 58888-76-9, 3-Hydroxy-3-methylhexanoic acid
 RL: BSU (Biological study, unclassified); BIOL (Biological study) (anal. of hydrolyzed axilla secretions)
 RN 58888-76-9 CAPLUS
 CN Hexanoic acid, 3-hydroxy-3-methyl- (CA INDEX NAME)



REFERENCE COUNT: 33 THERE ARE 33 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file caslink		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	48.12	627.51
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-6.56	-6.56

FILE 'CAPLUS' ENTERED AT 11:36:43 ON 24 MAR 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MARPAT' ENTERED AT 11:36:43 ON 24 MAR 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 American Chemical Society (ACS)

FILE 'REGISTRY' ENTERED AT 11:36:43 ON 24 MAR 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 American Chemical Society (ACS)

CLUSTER 'CASLINK' ENTERED

Predefined command sequences will be executed in
 REGISTRY, MARPAT, and CAPLUS.

=> s l5 and l7 and l9
 COMBINATION OF STRUCTURE AND TEXT TERMS NOT VALID
 The query entered contains both search terms created by
 structure-building or screen commands and text search terms. L#s
 created via the STRUCTURE or SCREEN commands must be searched in the
 structures files separately from text terms or profiles. The L#
 answer sets from structure searches can be used in crossover searches
 and can be combined with text terms.

=> d his

(FILE 'CAPLUS, MARPAT, REGISTRY' ENTERED AT 11:04:57 ON 24 MAR 2009)

	DELETE HISTORY YES
	DELETE SELECT YES
L1	STRUCTURE UPLOADED
L2	48 S L1 SSS SAM FILE=REGISTRY
L3	50 S L2 SSS SAM FILE=MARPAT
L4	23608 S L1 SSS FUL FILE=REGISTRY
L5	18972 S L4 SSS FUL FILE=MARPAT

FILE 'CAPLUS' ENTERED AT 11:27:25 ON 24 MAR 2009

L6	159563 S L4
	E ODOR/CT
	E E3+ALL
	SET EXPAND CONTINUOUS PERM
	E E2+ALL
L7	35413 S E4-E14
L8	1239 S L6 AND L7
	E SWEAT/CT
	E E34+ALL

L9 3874 S E49-E53
L10 8 S L8 AND L9

FILE 'REGISTRY' ENTERED AT 11:32:28 ON 24 MAR 2009
L11 1 S 58888-76-9/RN
SET NOTICE 1 DISPLAY
SET NOTICE LOGIN DISPLAY

FILE 'CAPLUS' ENTERED AT 11:33:18 ON 24 MAR 2009

FILE 'CAPLUS, MARPAT, REGISTRY' ENTERED AT 11:36:43 ON 24 MAR 2009

=> file caplus
COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 1.96 629.47
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL
ENTRY SESSION
CA SUBSCRIBER PRICE 0.00 -6.56

FILE 'CAPLUS' ENTERED AT 11:37:58 ON 24 MAR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 24 Mar 2009 VOL 150 ISS 13
FILE LAST UPDATED: 23 Mar 2009 (20090323/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3
L12 50 L3
=> s l5
L13 18977 L5
=> d his

(FILE 'CAPLUS, MARPAT, REGISTRY' ENTERED AT 11:04:57 ON 24 MAR 2009)
DELETE HISTORY YES
DELETE SELECT YES
L1 STRUCTURE UPLOADED

L2 48 S L1 SSS SAM FILE=REGISTRY
 L3 50 S L2 SSS SAM FILE=MARPAT
 L4 23608 S L1 SSS FUL FILE=REGISTRY
 L5 18972 S L4 SSS FUL FILE=MARPAT

FILE 'CAPLUS' ENTERED AT 11:27:25 ON 24 MAR 2009

L6 159563 S L4
 E ODOR/CT
 E E3+ALL
 SET EXPAND CONTINUOUS PERM
 E E2+ALL
 L7 35413 S E4-E14
 L8 1239 S L6 AND L7
 E SWEAT/CT
 E E34+ALL
 L9 3874 S E49-E53
 L10 8 S L8 AND L9

FILE 'REGISTRY' ENTERED AT 11:32:28 ON 24 MAR 2009

L11 1 S 58888-76-9/RN
 SET NOTICE 1 DISPLAY
 SET NOTICE LOGIN DISPLAY

FILE 'CAPLUS' ENTERED AT 11:33:18 ON 24 MAR 2009

FILE 'CAPLUS, MARPAT, REGISTRY' ENTERED AT 11:36:43 ON 24 MAR 2009

FILE 'CAPLUS' ENTERED AT 11:37:58 ON 24 MAR 2009

L12 50 S L3
 L13 18977 S L5

=> s l13 and l7 and l9
 L14 3 L13 AND L7 AND L9

=> d l-3 ibib abs hitstr

L14 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2006:768974 CAPLUS
 DOCUMENT NUMBER: 145:181018
 TITLE: Inhibition of sweat malodor
 INVENTOR(S): Starkenmann, Christian; Clark, Anthony; Troccaz,
 Myriam; Niclass, Yvan
 PATENT ASSIGNEE(S): Firmenich SA, Switz.
 SOURCE: PCT Int. Appl., 36pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006079934	A2	20060803	WO 2006-IB50098	20060111
WO 2006079934	A3	20061116		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
 GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,
 KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX,
 MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE,
 SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,
 VN, YU, ZA, ZM, ZW
 RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,

IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

EP 1846436 A2 20071024 EP 2006-704528 20060111
 R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR
 CN 101107263 A 20080116 CN 2006-80003050 20060111
 US 20080025935 A1 20080131 US 2007-779462 20070718
 IN 2007KN02817 A 20070907 IN 2007-KN2817 20070801
 PRIORITY APPLN. INFO.: EP 2005-100619 A 20050131
 US 2005-647777P P 20050131
 WO 2006-IB50098 W 20060111

OTHER SOURCE(S): MARPAT 145:181018
 AB The present invention relates to a method for screening compds. having the ability to prevent, treat or reduce malodor development on body surfaces. In particular, the method allows to efficiently screen for compound having the ability of preventing sweat malodor development caused by volatile sulfur compds. (VSCs). The present invention is based on the finding of the direct precursor of naturally VSCs, which is present in human sweat and which will be metabolized by Staphylococci to VSCs.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:308604 CAPLUS

DOCUMENT NUMBER: 140:326641

TITLE: Indicator for assessing body odor, process for producing the same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor

INVENTOR(S): Yabuki, Masayuki; Hasegawa, Yoshihiro; Matsukane, Masamoto; Yabe, Emi

PATENT ASSIGNEE(S): Kao Corporation, Japan

SOURCE: PCT Int. Appl., 86 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004031766	A1	20040415	WO 2003-JP12793	20031006
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003268776	A1	20040423	AU 2003-268776	20031006
JP 2004309454	A	20041104	JP 2003-346586	20031006
JP 4113825	B2	20080709		
EP 1553411	A1	20050713	EP 2003-748731	20031006
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2005017272	A	20050120	JP 2004-83654	20040322
JP 4081034	B2	20080423		

US 20060160240 A1 20060720 US 2005-529897 20051216
 PRIORITY APPLN. INFO.: JP 2002-293104 A 20021004
 JP 2003-83801 A 20030325
 JP 2003-116582 A 20030422
 JP 2003-160082 A 20030604
 JP 2003-346586 A 20031006
 WO 2003-JP12793 W 20031006

OTHER SOURCE(S): MARPAT 140:326641

AB Disclosed is an indicator for assessing body odor containing at least one member selected from the group consisting of (A) a β -hydroxycarboxylic acid compound R1C(OH)(R2)CH2COOH (R1 = C1-4 alkyl; R2 = H, C1-4 alkyl; total number of C is ≤ 10), (B) a derivative of the above compound A, (C) an alc. compound having a mercapto group at the 3-position HSC(R3)(R4)CH(R5)CH2OH (R3 = H, Me; R4 = C1-3 alkyl R5 = H, Meas; total number of C is ≤ 8), and (D) a derivative of the above compound C, especially 3-hydroxy-3-methylhexanoic acid and 3-mercapto-3-methylhexanol. Also it is intended to provide a process for producing the above compound C which comprises incubating human-origin perspiration in an environment with an oxygen concentration of 10 volume/volume% or below. Further, it is intended to provide a kit for assessing human body odor which contains a color developing reagent reacting with a human perspiration-origin β -hydroxycarboxylic acid.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2009 ACS on SIN

ACCESSION NUMBER: 2002:594647 CAPLUS

DOCUMENT NUMBER: 137:145224

TITLE: An ATPase inhibitor-containing cosmetic products for the reduction of sweat acidity

INVENTOR(S): Beck, Jonathan Samuel; Burry, Jason Shaun; Evans, Richard Livesey; Granger, Dominic; Laprade, Raynald; Marsolais, Mireille

PATENT ASSIGNEE(S): Unilever PLC, UK; Unilever NV; Hindustan Lever Limited

SOURCE: PCT Int. Appl., 35 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002060402	A1	20020808	WO 2002-EP670	20020121
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002228060	A1	20020812	AU 2002-228060	20020121
US 20020146376	A1	20021010	US 2002-66183	20020131
US 6509010	B2	20030121		

PRIORITY APPLN. INFO.: GB 2001-2562 A 20010201
 WO 2002-EP670 W 20020121

OTHER SOURCE(S): MARPAT 137:145224

AB A cosmetic method of reducing the acidity of sweat excreted from human eccrine glands comprises the topical application of a vacuolar-type

H⁺-ATPase (V-ATPase) inhibitor to the skin in the vicinity of the eccrine glands. The method may result in a range of benefits, including enhanced appreciation of topically-applied perfume and enhanced efficacy of topically-applied antiperspirant salt. Cosmetic products and compns. comprising a V-ATPase inhibitor and selected other components are also claimed. For example, oligomycin (at 20 µg/mL), bafilomycin A1 (at 6.2 µg/mL), and concanamycin A (at 0.1 µg/mL) all inhibit proton transfer out of the cells of the reabsorptive duct affecting the pH recovery by 12, 27, and 5%, resp., compared to 100% pH recovery in the control (no V-ATPase inhibitor).

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	11.00	640.47
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-2.46	-9.02

FILE 'CAPLUS' ENTERED AT 11:40:14 ON 24 MAR 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 24 Mar 2009 VOL 150 ISS 13
 FILE LAST UPDATED: 23 Mar 2009 (20090323/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=> e us2005-529897/ap
E58      1      US2005-529895/AP
E59      1      US2005-529896/AP
E60      1 -->  US2005-529897/AP
E61      1      US2005-529898/AP
E62      1      US2005-529899/AP
E63      1      US2005-52990/AP
E64      1      US2005-529901/AP
E65      1      US2005-529902/AP
E66      1      US2005-529904/AP
```

E67 1 US2005-529905/AP
 E68 1 US2005-529908/AP
 E69 1 US2005-529911/AP

=> s e60

L15 1 US2005-529897/AP

=> d all

L15 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2009 ACS on STN
 AN 2004:308604 CAPLUS
 DN 140:326641
 ED Entered STN: 15 Apr 2004
 TI Indicator for assessing body odor, process for producing the same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor
 IN Yabuki, Masayuki; Hasegawa, Yoshihiro; Matsukane, Masamoto; Yabe, Emi
 PA Kao Corporation, Japan
 SO PCT Int. Appl., 86 pp.
 CODEN: PIXXD2
 DT Patent
 LA Japanese
 IC ICM G01N033-497
 ICS G01N033-15; C11B009-00; A61K007-46
 CC 62-4 (Essential Oils and Cosmetics)
 Section cross-reference(s): 9
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004031766	A1	20040415	WO 2003-JP12793	20031006
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2003268776	A1	20040423	AU 2003-268776	20031006
	JP 2004309454	A	20041104	JP 2003-346586	20031006
	JP 4113825	B2	20080709		
	EP 1553411	A1	20050713	EP 2003-748731	20031006
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	JP 2005017272	A	20050120	JP 2004-83654	20040322
	JP 4081034	B2	20080423		
	US 20060160240	A1	20060720	US 2005-529897	20051216 <--
PRAI	JP 2002-293104	A	20021004		
	JP 2003-83801	A	20030325		
	JP 2003-116582	A	20030422		
	JP 2003-160082	A	20030604		
	JP 2003-346586	A	20031006		
	WO 2003-JP12793	W	20031006		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
WO 2004031766	ICM	G01N033-497
	ICS	G01N033-15; C11B009-00; A61K007-46
	IPCI	G01N0033-497 [ICM,7]; G01N0033-483 [ICM,7,C*]; G01N0033-15 [ICS,7]; C11B009-00 [ICS,7]; A61K007-46

			[ICS,7]
	IPCR	A61K0008-02 [I,C*]; A61K0008-02 [I,A]; A61Q0015-00 [I,C*]; A61Q0015-00 [I,A]; C09B0026-00 [I,C*]; C09B0026-02 [I,A]; G01N0033-483 [I,C*]; G01N0033-497 [I,A]	
AU 2003268776	ECLA	A61K008/02; A61Q015/00; C09B026/02; G01N033/497; K61K	
	IPCI	G01N0033-497 [ICM,7]; G01N0033-483 [ICM,7,C*]; A61K0007-46 [ICS,7]; G01N0033-15 [ICS,7]; C11B0009-00 [ICS,7]	
	IPCR	A61K0008-02 [I,C*]; A61K0008-02 [I,A]; A61Q0015-00 [I,C*]; A61Q0015-00 [I,A]; C09B0026-00 [I,C*]; C09B0026-02 [I,A]; G01N0033-483 [I,C*]; G01N0033-497 [I,A]	
JP 2004309454	ECLA	A61K008/02; A61Q015/00; C09B026/02; G01N033/497; K61K	
	IPCI	G01N0033-52 [I,A]; C07C0059-105 [I,A]; C07C0059-00 [I,C*]; G01N0021-77 [I,A]; G01N0021-78 [I,A]; G01N0033-50 [I,A]	
	IPCR	C07C0059-00 [I,C*]; C07C0059-105 [I,A]; G01N0021-77 [I,A]; G01N0021-77 [I,C*]; G01N0021-78 [I,A]; G01N0033-50 [I,A]; G01N0033-50 [I,C*]; G01N0033-52 [I,A]; G01N0033-52 [I,C*]	
	FTERM	2G045/BB03; 2G045/CB12; 2G045/DA80; 2G045/FA18; 2G045/FB06; 2G045/FB07; 2G045/FB11; 2G045/FB12; 2G045/FB17; 2G045/GC12; 2G054/AA06; 2G054/BB02; 2G054/BB04; 2G054/CA21; 2G054/CD04; 2G054/CE02; 2G054/EA03; 2G054/EA06; 2G054/GB01; 2G054/GE06; 2G054/JA06; 4H006/AA01; 4H006/AA03; 4H006/AB14	
EP 1553411	IPCI	G01N0033-497 [ICM,7]; G01N0033-483 [ICM,7,C*]; G01N0033-15 [ICS,7]; C11B0009-00 [ICS,7]; A61K0007-46 [ICS,7]	
	IPCR	A61K0008-02 [I,C*]; A61K0008-02 [I,A]; A61Q0015-00 [I,C*]; A61Q0015-00 [I,A]; C09B0026-00 [I,C*]; C09B0026-02 [I,A]; G01N0033-483 [I,C*]; G01N0033-497 [I,A]	
JP 2005017272	ECLA	A61K008/02; A61Q015/00; C09B026/02; G01N033/497; K61K	
	IPCI	G01N0033-50 [I,A]; G01N0021-78 [I,A]; G01N0021-77 [I,C*]; G01N0033-15 [I,A]; G01N0033-497 [I,A]; G01N0033-483 [I,C*]; G01N0033-52 [I,A]; C09K0003-00 [N,A]	
	IPCR	C09K0003-00 [N,A]; C09K0003-00 [N,C*]; G01N0021-77 [I,C*]; G01N0021-78 [I,A]; G01N0033-15 [I,A]; G01N0033-15 [I,C*]; G01N0033-483 [I,C*]; G01N0033-497 [I,A]; G01N0033-50 [I,A]; G01N0033-50 [I,C*]; G01N0033-52 [I,A]; G01N0033-52 [I,C*]	
	FTERM	2G045/AA40; 2G045/BB50; 2G045/BB51; 2G045/CB12; 2G045/DA02; 2G045/FA18; 2G045/FB11; 2G045/GC12; 2G054/AA10; 2G054/AB10; 2G054/BB01; 2G054/BB02; 2G054/BB07; 2G054/BB08; 2G054/BB13; 2G054/CA30; 2G054/CB02; 2G054/CB03; 2G054/CD04; 2G054/CE01; 2G054/EA06; 2G054/EB05; 2G054/GB04	
US 20060160240	IPCI	G01N0033-00 [I,A]	
	IPCR	G01N0033-00 [I,A]; A61K0008-02 [I,C*]; A61K0008-02 [I,A]; A61Q0015-00 [I,C*]; A61Q0015-00 [I,A]; C09B0026-00 [I,C*]; C09B0026-02 [I,A]; G01N0033-00 [I,C]; G01N0033-483 [I,C*]; G01N0033-497 [I,A]	
	NCL	436/166.000; 436/106.000	
	ECLA	A61K008/02; A61Q015/00; C09B026/02; G01N033/497; K61K	
OS	MARPAT	140:326641	
AB	Disclosed is an indicator for assessing body odor containing at least one member selected from the group consisting of (A) a β -hydroxycarboxylic acid compound R1C(OH)(R2)CH2COOH (R1 = C1-4 alkyl; R2 = H, C1-4 alkyl; total number of C is ≤ 10), (B) a derivative of the		

above compound A, (C) an alc. compound having a mercapto group at the 3-position HSC(R3)(R4)CH(R5)CH2OH (R3 = H, Me; R4 = C1-3 alkyl R5 = H, Meas; total number of C is ≤ 8), and (D) a derivative of the above compound C, especially 3-hydroxy-3-methylhexanoic acid and 3-mercapto-3-methylhexanol. Also it is intended to provide a process for producing the above compound C which comprises incubating human-origin perspiration in an environment with an oxygen concentration of 10 volume/volume% or below. Further, it is intended

- to provide a kit for assessing human body odor which contains a color developing reagent reacting with a human perspiration-origin β-hydroxycarboxylic acid.
- ST hydroxy carboxylate body odor indicator; mercapto alc body odor indicator; deodorant assessment hydroxy carboxylate mercapto alc
- IT Carboxylic acids, biological studies
RL: ANT (Analyte); BSU (Biological study, unclassified); PUR (Purification or recovery); ANST (Analytical study); BIOL (Biological study); PREP (Preparation)
(hydroxy; indicator for assessing body odor containing β-hydroxy carboxylates or 3-mercapto alcs., process for producing same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor)
- IT Deodorants (personal)
Human
Odor and Odorous substances
Sweat
(indicator for assessing body odor containing β-hydroxy carboxylates or 3-mercapto alcs., process for producing same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor)
- IT Alcohols, biological studies
RL: ANT (Analyte); BSU (Biological study, unclassified); PUR (Purification or recovery); ANST (Analytical study); BIOL (Biological study); PREP (Preparation)
(indicator for assessing body odor containing β-hydroxy carboxylates or 3-mercapto alcs., process for producing same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor)
- IT 51755-83-0P, 3-Mercaptohexanol 58888-76-9P, 3-Hydroxy-3-methylhexanoic acid 227456-27-1P 227456-33-9P 307964-23-4P 548740-99-4P
RL: ANT (Analyte); BSU (Biological study, unclassified); PUR (Purification or recovery); ANST (Analytical study); BIOL (Biological study); PREP (Preparation)
(indicator for assessing body odor containing β-hydroxy carboxylates or 3-mercapto alcs., process for producing same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor)
- IT 10401-59-9, 9-Anthryldiazomethane
RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
(indicator for assessing body odor containing β-hydroxy carboxylates or 3-mercapto alcs., process for producing same, body odor assessment method, method of assessing efficaciousness of deodorant and kit for conveniently assessing body odor)

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Andreas, N; The Journal of Biological Chemistry 2003, V278(8), P5718
- (2) Chenhui, Z; Proceedings of the National Academy of Sciences of the United States of America 1996, V93, P6626
- (3) Rennie, P; British Journal of Dermatology 1991, V124, P596 MEDLINE

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	19.12	659.59
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.82	-9.84

STN INTERNATIONAL LOGOFF AT 11:56:12 ON 24 MAR 2009